

業績リスト

原著論文 (86 報)

- 1) Zn(OTf)₂-mediated Annulations of *N*-Propargylated Tetrahydrocarbolines: Divergent Synthesis of Four Distinct Alkaloidal Scaffolds:
S. Yorimoto, A. Tsubouchi, H. Mizoguchi, H. Oikawa, Y. Tsunekawa, T. Ichino, S. Maeda, H. Oguri,
Chem. Sci., **2019**, *10*, 5686-5698.
- 2) Stereodivergent Synthesis of Bispyrrolidinoindoline Alkaloidal Scaffolds and Generation of a Lead Candidate with Stereospecific Antiproliferative Activity:
M. Wada, H. Suzuki, M. Kato, H. Oikawa, A. Tsubouchi, H. Oguri
ChemBioChem, **2019**, *20*, 1273-1281.
- 3) Chiroptical Inversion of Europium(III) Complexes by Changing a Remote Stereogenic Center of a C₂-Symmetric Bispyrrolidinoindoline Manifold:
T. Taniguchi, A. Tsubouchi, Y. Imai, J. Yuasa, H. Oguri,
J. Org. Chem., **2018**, *83*, 15284-15296.
- 4) Diversity-Oriented Stereoselective Synthesis of β,γ-Disubstituted tert -Homoallylic Alcohols:
T. Takeda, S. Amarume, I. Sekioka, A. Tsubouchi,
Org. Lett. **2015**, *17*, 1150-1153.
- 5) Cross-coupling between Aryl- and Alkenyldimethylsilanes and Organic Halides Promoted by a Copper(I) Iodide/Sodium Hydride/Ethylene Glycol System:
T. Takeda, Y. Takeda, A. Tsubouchi,
Chem. Lett. **2015**, *44*, 809-811.
- 6) Stereoselective Preparation of (*E*)- and (*Z*)-Di- and Trisubstituted 1,3-Butadienes:
T. Takeda, K. Tateishi, A. Tsubouchi,
Tetrahedron Lett. **2015**, *56*, 4016-4021.
- 7) Preparation of 1,4-Dienes by the Reaction of Titanocene Cycloalkenylenes with 1-Alkenes:
T. Takeda, Y. Teramoto, Y. Inoue, A. Tsubouchi,
Tetrahedron Lett. **2015**, *56*, 3916-3918.
- 8) Preparation of Silyl Polyenol Ethers by Carbonyl Olefination of Silyl Esters:
T. Takeda, T. Fukada, A. Tsubouchi,
Tetrahedron Lett. **2014**, *55*, 1434-1436.
- 9) Copper(I)-Promoted Alkylation of Alkenylbenzyl dimethylsilanes:
T. Takeda, R. Matsumura, H. Wasa, A. Tsubouchi,
Asian J. Org. Chem. **2014**, *3*, 838-841.

- 10) Diversity Oriented Synthesis of Conjugate Dienes and Alkenylcyclopropanes Utilizing Silyl Group-substituted Titanium Carbene Complexes as Bimetallic Synthetic Reagents:
T. Takeda, A. Mori, T. Fujii, [A. Tsubouchi](#),
Tetrahedron **2014**, *70*, 5776-5786.
- 11) Copper(I) 2-Hydroxyethoxide-promoted Cross-coupling of Aryl- and Alkenyldimethylsilanes with Organic Halides:
T. Takeda, R. Obata, D. Muramatsu, Y. Takeda, [A. Tsubouchi](#),
Chem. Commun **2014**, *50*, 15156-15158.
- 12) Copper(I)-Catalyzed Alkylation of Aryl- and Alkenylsilanes Activated by Intramolecular Coordination of an Alkoxide:
[A. Tsubouchi](#), D. Muramatsu, T. Takeda,
Angew. Chemie Int. Ed. **2013**, *52*, 12719–12722.
- 13) Regio- and Stereoselective Preparation of (Z)-Silyl Enol Ethers by Three-component Coupling Using α,β -Unsaturated Acylsilanes as Core Building Blocks:
[A. Tsubouchi](#), N. Sasak, S. Enatsu, T. Takeda,
Tetrahedron Lett. **2013**, *54*, 1264–1267.
- 14) アリル・プロパルギルチタノセンとケトンの反応による鎖状化合物の高立体選択的構築：
武田猛, 八文字保孝, [坪内彰](#),
有機合成化学協会誌 **2013**, *71*, 98–108.
- 15) Diastereoselective addition of allyltitanocenes to cyclic enones:
T. Takeda, T. Nishimura, S. Yoshida, F. Saiki, Y. Tajima, [A. Tsubouchi](#),
Org. Lett. **2012**, *14*, 2042–2045.
- 16) Highly diastereoselective construction of acyclic systems with two adjacent quaternary stereocenters by allylation of ketones:
T. Takeda, M. Yamamoto, S. Yoshida, [A. Tsubouchi](#),
Angew. Chem. Int. Ed. **2012**, *51*, 7263–7266.
- 17) Highly diastereoselective addition of allyltitanocenes to α -chiral ketones:
T. Takeda, S. Yoshida, T. Nishimura, [A. Tsubouchi](#),
Tetrahedron Lett. **2012**, *53*, 3930–3933.
- 18) Regio- and Stereoselective Synthesis of 1,4-Dienes:
S. Oishi, K. Hatano, [A. Tsubouchi](#), T. Takeda,
Chem. Commun. **2011**, *47*, 11639-11640.
- 19) Regio- and Stereoselective Preparation of Highly Substituted Tertiary Homoallylic Alcohols:
T. Takeda, H. Wasa, [A. Tsubouchi](#),
Tetrahedron Lett. **2011**, *52*, 4575-4578.
- 20) Highly Stereoselective Construction of Multiple Stereogenic Centers Using Allylic Sulfides:
T. Takeda, Y. Yatsumonji, T. Nishimura, T. Sugita, [A. Tsubouchi](#),
Phosphorou, Sulfer and Silicon and Related Elements **2011**, *186*, 1229-1233.

- 21) Stereoselective Formation of Phenylthio Groups Substituted 1-Metalla-3-titanacyclobutenes:
S. Oishi, A. Tsubouchi, T. Takeshi,
J. Organomet. Chem. **2011**, 696(2), 581-585.
- 22) Complete Regio- and Stereoselective Construction of Highly Substituted Silyl Enol Ethers by Three-Component Coupling:
A. Tsubouchi, S. Enatsu, R. Kanno, T. Takeda,
Angew. Chem. Int. Ed. **2010**, 49, 7089-7091.
- 23) [2 + 2 + 1] Cycloaddition between Alkynes, Acrylates, and Titanocene(II): Regioselective Formation of 5-Alkoxy carbonyltitanacyclopent-2-enes and their Addition to Carbonyls:
S. Oishi, K. Ohomika, A. Tsubouchi, T. Takeda,
Chem. Lett. **2010**, 39, 723-725.
- 24) Preparation of *syn*-Tertiary Homoallylic Alcohols Utilizing Allenyltitanocenes Generated by Reductive Titanation of γ -Trimethylsilylpropargylic Carbonates:
Y. Yatsumonji, T. Sugita, A. Tsubouchi, T. Takeda,
Org. Lett. **2010**, 12, 1968-1971.
- 25) Highly Stereoselective Preparation of Tertiary Homoallylic Alcohols with Multiple Stereogenic Centers:
T. Takeshi, T. Nishimura, Y. Yatsumonji, K. Noguchi, A. Tsubouchi,
Chem. Eur. J. **2010**, 16, 4729-4732.
- 26) Silyl Migration in Conjunction with Substitution on Silicon in Copper(I) *t*-Butoxide-promoted Coupling between *o*-Silylphenyl Ketones and Organic Halides:
A. Tsubouchi, H. Matsuda, T. Kira, T. Takeda,
Chem. Lett. **2009**, 38, 1180-1181.
- 27) Regio- and Stereoselective Formation of Conjugated Dienes by Titanocene(II)-promoted Alkylation of Propargyl Carbonates:
Y. Yatsumonji, Y. Atake, A. Tsubouchi, T. Takeda,
Chem. Commun. **2009**, 3375-3377.
- 28) Highly Diastereoselective Addition of Allyltitanocenes to Ketones:
Y. Yatsumonji, T. Nishimura, A. Tsubouchi, K. Noguchi, T. Takeda,
Chem. Eur. J. **2009**, 15, 2680-2686.
- 29) 不飽和チタナサイクルの形成を鍵とする新しい有機合成:
武田 猛、坪内 彰,
有機合成化学協会誌, **2008**, 66, 1178-1186.
- 30) A New Route to Alkenylcyclobutenes:
S. Oishi, T. Shono, T. Nagasawa, T. Inoue, A. Tsubouchi, T. Takeda,
Tetrahedron Lett. **2008**, 49, 6426-6428.
- 31) チタン-カルベン錯体を利用する新しい有機合成:
武田 猛、坪内 彰,

科学と工業 **2008**, 82, 376-383.

- 32) Formation of Titanacyclobutenes with a Spiro-bonded Cyclopropane:
T. Shono, T. Nagasawa, K. Noguchi, A. Tsubouchi, T. Takeda,
Chem. Commun. **2008**, 3537-3539.
- 33) Regio- and Stereoselective Preparation of Dienylcarboxylic Acids and Dienylphosphonic Esters Using a (Z)-Alkenyl Sulfone-titanocene(II) System:
A. Ogata, M. Nemoto, Y. Takano, A. Tsubouchi, T. Takeda,
Tetrahedron Lett. **2008**, 49, 3071-3074.
- 34) Transformation of Alkynyl Sulfones into Alkynylphosphonates with Trialkyl Phosphites:
Y. Yatsumonji, A. Ogata, A. Tsubouchi, T. Takeda,
Tetrahedron Lett. **2008**, 49, 2265-2267.
- 35) Nickel(0) Triethyl Phosphite Complex-Catalyzed Allylic Substitution with Retention of Regio- and Stereochemistry:
Y. Yatsumonji, Y. Ishida, A. Tsubouchi, T. Takeda,
Org. Lett. **2007**, 9, 4603-4606.
- 36) Titanocene(II)-Promoted, One-Pot, Three-Component Coupling of Thioacetals, Alkynyl Sulfones, and Carbonyl Compounds: Highly Stereoselective Formation of *tert*-Homopropargyl Alcohols:
T. Takeda, M. Ando, T. Sugita, A. Tsubouchi,
Org. Lett. **2007**, 9, 2875-2878.
- 37) Construction of Extended π -Conjugation Systems Utilizing Novel Multicarbene Complexes of Titanium:
A. Ogata, S. Anno, T. Kurata, S. Xu, A. Tsubouchi, T. Takeda,
Synlett **2007**, 1715-1719.
- 38) Titanacyclobutenes or Titanium Vinyl Carbene Complexes? Reactivity of Organotitanium Species Generated by the Reaction of γ -Chloroallyl Sulfides with a Titanocene(II) Reagent:
T. Shono, R. Kurashige, R. Muaiyama, A. Tsubouchi, T. Takeda,
Chem. Eur. J. **2007**, 13, 4074-4080.
- 39) Titanocene(II)-promoted Carbonyl Cyclopropylidene Utilizing 1,1-Dichlorocyclopropanes:
T. Shono, T. Nagasawa, A. Tsubouchi, T. Takeda,
Tetrahedron Lett. **2007**, 48, 3521-3524.
- 40) Titanocene(II)-Promoted Stereoselective Alkenylation Utilizing (Z)-Alkenyl Sulfones:
A. Ogata, M. Nemoto, K. Kobayashi, A. Tsubouchi, T. Takeda,
J. Org. Chem. **2007**, 72, 3816-3822.
- 41) Titanocene(II)-promoted Multicomponent Reactions Utilizing Alkynyl Sulfones, Alkenyl Sulfones, and Carbonyl Compounds: a Novel Method for the Synthesis of Vinylallenes:
A. Ogata, M. Nemoto, K. Kobayashi, A. Tsubouchi, T. Takeda,
Chem. Eur. J. **2007**, 13, 1320-1325.
- 42) Stereoselective Preparation of 1-Siloxy-1-alkenylcopper Species by 1,2-Csp²-to-O Silyl

Migration of Acylsilanes:

A. Tsubouchi, K. Onishi, T. Takeda,
J. Am. Chem. Soc. **2006**, *128*, 14268-14269.

43) Peterson Allenation Using (Z)-(1-Lithio-1-alkenyl)trimethylsilanes:

A. Tsubouchi, T. Kira, T. Takeda,
Synlett **2006**, 2577-2580.

44) Stereo-recognizing Transformation of (E)-Alkenyl Halides into Sulfides Catalyzed by Nickel(0) Triethyl Phosphite Complex:

Y. Yatsumonji, O. Okada, A. Tsubouchi, T. Takeda,
Tetrahedron **2006**, *62*, 9981-9987.

45) Titanocene(II)-promoted Cross-coupling of Unsaturated Compounds:

A. Ogata, M. Nemoto, K. Arai, K. Kobayashi, A. Tsubouchi, T. Takeda,
Eur. J. Org. Chem. **2006**, 878-880.

46) Formation of Conjugated Dienes by the Reaction of Titanocene Alkenylidene Complexes with Alkynes:

T. Shono, Y. Hayata, A. Tsubouchi, T. Takeda,
Tetrahedron Lett. **2006**, *47*, 1257-1260.

47) Titanocene(II)-promoted Carbonyl Allenation Utilizing 1,1-Dichloro-1-alkenes:

T. Shono, K. Ito, A. Tsubouchi, T. Takeda,
Org. Biomol. Chem. **2005**, *3*, 2914-2916.

48) Titanocene(II)-Promoted Reactions of 2-(Alk-1-yn-1-yl)-2-(Trialkylsilyl)-1,3-dithianes with Olefins and Carbonyls:

T. Takeda, S. Kuroi, M. Ozaki, A. Tsubouchi,
Phosphorus, Sulfur and Silicon and the Related Elements **2005**, *180*, 1291-1296.

49) Cyclopropanation and Carbonyl Olefination Utilizing

2-(Alk-1-yn-1-yl)-2-(trialkylsilyl)-1,3-dithianes via Regioselective Generation of Titanium Alkynylcarbene Complexes:

T. Takeda, M. Ozaki, S. Kuroi, A. Tsubouchi,
J. Org. Chem. **2005**, *70*, 4233-4239.

50) Titanocene(II)-promoted Reductive Alkylation of Anilides with Thioacetals:

T. Takeda, Y. Yatsumonji, A. Tsubouchi,
Tetrahedron Lett. **2005**, *46*, 3157-3160.

51) Transformation of Thioacetals to Cyclopropanes:

T. Takeda, K. Arai, H. Shimokawa, A. Tsubouchi,
Tetrahedron Lett. **2005**, *46*, 775-778.

52) Copper(I) *tert*-Butoxide-promoted Coupling of *o*-(1-Hydroxyalkyl)arylsilanes with Organic Halides:

H. Taguchi, K. Takami, A. Tsubouchi, T. Takeda,
Tetrahedron Lett. **2004**, *45*, 429-432.

- 53) Titanocene(II)-promoted Reaction of Thioacetals with Styrenes: Stereoselective Formation of (*E*)- β -Substituted Styrene Derivatives:
A. Tsubouchi, E. Nishio, K. Arai, T. Takeda,
Lett. Org. Chem. **2004**, *1*, 357-359.
- 54) Trialkylsilyl Group-Directed Regioselective Transformations of 2-(Alk-1-yn-1-yl)-2-(trialkylsilyl)-1,3-dithianes to Alkynylcyclopropanes and Enynes:
T. Takeda, S. Kuroi, M. Ozaki, A. Tsubouchi,
Org. Lett. **2004**, *6*, 3207-3210.
- 55) Copper(I) *tert*-Butoxide-promoted Allylation with β -Triphenylsilyl Allylic Alcohols via 1,3 Csp²-to-O Silyl Migration:
A. Tsubouchi, M. Itoh, K. Onishi, T. Takeda,
Synthesis **2004**, 1504-1508.
- 56) A New Route to Enol Ethers:
T. Takeda, K. Sato, A. Tsubouchi,
Synthesis **2004**, 1457-1465.
- 57) Preparation of Enol Ethers by Carbonyl Olefination Utilizing an Alkoxyethyl Chloride-titanocene(II) System:
T. Takeda, T. Shono, K. Ito, H. Sasaki, A. Tsubouchi,
Tetrahedron Lett. **2003**, *44*, 7897-7900.
- 58) Formation of Pyrrolidines by the Titanocene(II)-promoted Intramolecular Reaction of *N*-[3,3-Bis(phenylthio)propyl]anilides:
T. Takeda, J. Saito, A. Tsubouchi,
Tetrahedron Lett. **2003**, *44*, 5571-5574.
- 59) Copper(I) *tert*-Butoxide-promoted Stereospecific Alkylation of β -Hydroxymethylvinylsilanes with Alkyl Halides:
H. Taguchi, A. Tsubouchi, T. Takeda,
Tetrahedron Lett. **2003**, *44*, 5205-5207.
- 60) Copper(I) *tert*-Butoxide-promoted 1,4 C sp²-to-O Silyl Migration: Generation of Vinylcopper Equivalents and their Stereospecific Cross-coupling with Allylic, Aryl, and Vinylic Halides:
H. Taguchi, K. Ghoroku, M. Tadaki, A. Tsubouchi, T. Takeda,
J. Org. Chem. **2002**, *67*, 8450-8456.
- 61) First Anionic Silyl Migration from sp² Carbon to Carbonyl Oxygen. Stereospecific Allylation of (*Z*)- β -Trimethylsilyl- α,β -unsaturated Ketones:
H. Taguchi, H. Miyashita, A. Tsubouchi, T. Takeda,
Chem. Commun. **2002**, 2218-2219.
- 62) Vinyltitanium as an Initiator for the Polymerization of Acetylene:
Y. Takagi, N. Saeki, A. Tsubouchi, H. Murakami, Y. Kumagai, T. Takeda,
J. Polym. Sci., Part A: Polym. Chem. **2002**, *40*, 2663-2669.
- 63) Titanocene(II)-promoted Reactions of Thioacetals with Ethylene: Selective Formation of

Terminal Olefins with One- or Two-carbon Homologation:

A. Tsubouchi, E. Nishio, Y. Kato, T. Fujiwara, T. Takeda,
Tetrahedron Lett. **2002**, 43, 5755-5758.

- 64) Preparation of Alkynylcyclopropanes by the Titanocene(II)-promoted Reaction of 1,1-Bis(phenylthio)-2-alkynes with 1-Alkenes:
T. Takeda, S. Kuroi, K. Yanai, A. Tsubouchi,
Tetrahedron Lett. **2002**, 43, 5641-5644.
- 65) Carbonyl Olefination Utilizing an Alkyl Halide-titanocene(II) System:
T. Takeda, K. Shimane, K. Ito, N. Saeki, A. Tsubouchi,
Chem. Commun. **2002**, 1974-1975.
- 66) Formation of Cyclopropanes by the Reductive Coupling of 1,3-Dihalides Promoted by Titanocene(II) Species:
T. Takeda, K. Shimane, T. Fujiwara, A. Tsubouchi,
Chem. Lett. **2002**, 290-291.
- 67) Copper(I) *tert*-Butoxide-Promoted 1,4 Csp²-to-O Silyl Migration: Stereospecific Allylation of (*Z*)- γ -Trimethylsilyl Allylic Alcohols:
H. Taguchi, K. Ghoroku, M. Tadaki, A. Tsubouchi, T. Takeda,
Org. Lett. **2001**, 3, 3811-3814.
- 68) Iron(III) Complexation Behavior of Benzene-centered Tripodal Mono-, Di- and Tritopic Ligands Carrying a Repeating -Ahe-(HO)Apr- Sequence [Ahe = 6-aminohexanoyl; (HO)Apr = 3-(N-hydroxy)aminopropanoyl]:
A. Tsubouchi, L. Shen, Y. Hara, M. Akiyama,
New J. Chem. **2001**, 25, 275-282.
- 69) Tripodal Peptide Hydroxamates as Siderophore Models. Iron(III) Binding with Ligands Containing H-(Alanyl)n- β -(N-hydroxy)alanyl Strands (n = 1-3) Anchored by Nitrilotriacetic Acid:
Y. Hara, L. Shen, A. Tsubouchi, M. Akiyama, K. Umemoto,
Inorg. Chem. **2000**, 39, 5074-5082.
- 70) Enterobactin Model Compounds (LYSCAMs): Iron Transport to Microorganisms and Iron Removal from Tranferrin:
A. Tsubouchi, C. Kanno, M. Akiyama,
J. Inorg. Biochem. **1997**, 67, 31.
- 71) One- and Two-Metal Ion Catalysis of the Hydrolysis of Adenosine 3'-Alkyl Phosphate Esters. Models for One- and Two-Metal Ion Catalysis of RNA Hydrolysis:
T. C. Bruice, A. Tsubouchi, R. O. Dempsy, L. P. Olson,
J. Am. Chem. Soc. **1996**, 118, 9867-9875.
- 72) Phosphonate Ester Hydrolysis Catalyzed by Two Lanthanum Ions. Intramolecular Nucleophilic Attack of Coordinated Hydroxide and Lewis Acid Activation:
A. Tsubouchi, T. C. Bruice,
J. Am. Chem. Soc. **1995**, 117, 7399-7411.

- 73) Remarkable (10^{13}) Rate Enhancement in Phosphonate Ester Hydrolysis Catalyzed by Two Metal Ions:
A. Tsubouchi, T. C. Bruice,
J. Am. Chem. Soc. **1994**, *116*, 11614-11615.
- 74) Preparation, Structure, and Reactivity of
1,3,4,6-Tetrakis(isopropylthio)thieno[3,4-c]thiophene-palladium Complex with
Tetracyanoethylene:
A. Tsubouchi, N. Nakamura, A. Sugimoto, H. Inoue,
J. Heterocyclic Chem. **1994**, *31*, 1327-1331.
- 75) 1,3,4,6-Tetrakis(isopropylthio)thieno[3,4-c]thiophenium Bis(tetrafluoroborate): X-Ray Crystal
Structure of a Stable Thieno[3,4-c]thiophene Dication:
A. Tsubouchi, H. Inoue, K. Yanagi,
J. Heterocyclic Chem. **1994**, *31*, 325-328.
- 76) Reduction of 1,3,4,6-Tetrakis(alkylthio)thieno[3,4-c]thiophenes with Sodium or Sodium
Anthracenide Leading to the Cleavage of the Alkyl-sulfur Bond:
A. Tsubouchi, N. Matsumura, H. Inoue,
J. Heterocyclic Chem. **1992**, *29*, 575-576.
- 77) Reaction of 1,3,4,6-Tetrakis(isopropylthio)- $2\lambda^4\delta^2$ -thieno[3,4-c]thiophene with
m-Chloroperbenzoic acid:
A. Tsubouchi, N. Matsumura, H. Inoue,
J. Chem. Res., (S) **1992**, 72-73.
- 78) Formation of Radical Cation and Dication of
1,3,4,6-Tetrakis(isopropylthio)- $2\lambda^4\delta^2$ -thieno[3,4-c]thiophene and Their Reactions with
Nucleophiles:
A. Tsubouchi, C. Kitamura, N. Matsumura, H. Inoue,
J. Chem. Soc., Perkin Trans. 1 **1991**, 2935-2940.
- 79) Oxidation of 1,3,4,6-Tetrakis(alkylthio)thieno[3,4-c]thiophenes with Iodine in the Presence of
Aniline:
A. Tsubouchi, C. Kitamura, N. Matsumura, H. Inoue,
J. Heterocyclic Chem. **1991**, *28*, 1643-1644.
- 80) New Stable Dication of 1,3,4,6-Tetrakis(isopropylthio)- $2\lambda^4\delta^2$ -thieno[3,4-c]thiophene Generated
by Its Oxidation Using Nitrosonium Tetrafluoroborate:
A. Tsubouchi, N. Matsumura, H. Inoue,
J. Chem. Soc., Chem. Commun. **1991**, 520-521.
- 81) Reaction of 1,3,4,6-Tetrakis(alkylthio)- $2\lambda^4\delta^2$ -thieno[3,4-c]thiophenes with Trifluoroacetic Acid
and with Vilsmeier Reagent, and Synthesis of New $2\lambda^4\delta^2$ -thieno[3,4-c]thiophene Derivatives:
A. Tsubouchi, N. Matsumura, H. Inoue, K. Yanagi,
J. Chem. Soc., Perkin Trans. 1 **1991**, 909-916.
- 82) Facile Conversion of the *tert*-Butylthio Group of
1,3,4,6-Tetrakis(*tert*-butylthio)thieno[3,4-c]thiophene into Other Alkylthio Groups Initiated by

Protonation:

A. Tsubouchi, N. Matsumura, H. Inoue,
Chem. Lett. **1990**, 1853-1854.

83) Synthesis of New Thieno[3,4-c]thiophene Derivatives by Reaction of Diformyl Substituted Thieno[3,4-c]thiophenes with Malononitrile and *N,N*-Dimethylhydrazine:

A. Tsubouchi, N. Hamasaki, N. Matsumura, H. Inoue,
Chem. Express **1990**, 5, 565-568.

84) Synthesis of New Thieno[3,4-c]thiophene Derivatives Having Formyl Substituents:

A. Tsubouchi, N. Matsumura, H. Inoue, N. Hamasaki, A. Yoneda, K. Yanagi,
J. Chem. Soc., Chem. Commun. **1989**, 223-224.

85) Tetrakis(alkylthio)thieno[3,4-c]thiophene: Synthesis, Stability, and Reactivity:

S. Yoneda, K. Ozaki, A. Tsubouchi, H. Kojima, K. Yanagi,
J. Heterocyclic Chem. **1988**, 25, 559-563.

86) Synthesis and Properties of Tetrakis(alkylthio)thieno[3,4-c]thiophenes:

S. Yoneda, A. Tsubouchi, K. Ozaki,
日本化学会誌, **1987**, 1328-3113.

著書 (11 編)

1) 錯体化合物辞典

坪内 彰 (分担)

朝倉書店、**2019**、pp. 561-562, 793-794, 909.

2) Acyclic *S,S*-Acetals (Update 2016)

A. Tsubouchi,

Science of Synthesis, Knowledge Update 2016/2, T. Murai ed., Thieme, Stuttgart, **2016**, pp. 329-350.

3) 第2版 有機合成実験法ハンドブック 17章 不安定試薬の調製法と取扱い方

武田 猛、坪内 彰、田口晴彦、関口文男

丸善、**2015**、pp. 178-207.

4) 第2版 有機合成実験法ハンドブック 19章 2.2 有機チタン化合物

武田 猛、坪内 彰、

丸善、**2015**、pp. 295-298.

5) The McMurry Coupling and Related Reactions

T. Takeda, A. Tsubouchi,

Organic Reactions Vol. 82, S. E. Denmark ed., Wiley, **2013**, pp. 1-470.

6) Organometallic Complexes of Titanium (Update 2011)

T. Takeda, A. Tsubouchi,

Science of Synthesis, Knowledge Update 2011/3, I. Marek ed., Thieme, Stuttgart, **2011**, pp. 1-36.

- 7) Alkenes: McMurry Coupling and Related Reductive Dimerization Reactions
T. Takeda, A. Tsubouchi,
Science of Synthesis, Vol. 47a, A. de Meijere ed., Thieme, Stuttgart, **2009**, pp. 247-325.
- 8) 1,3-Dienes: Synthesis by Alkylidenation of Carbonyl Compounds Using Metal-Carbene Complexes and Related Reagents
T. Takeda, A. Tsubouchi,
Science of Synthesis, Vol. 46, V. H. Rawal and S. A. Kozmin eds., Thieme, Stuttgart, **2009**, pp. 63-92.
- 9) Product Subclass 1: Acyclic S,S-Acetals
T. Takeda, A. Tsubouchi,
Science of Synthesis, Vol. 30, J. Otera ed., Thieme, Stuttgart, **2007**, pp. 119-202.
- 10) 第5版 実験化学講座 18 有機化合物の合成 VI—金属を用いる有機合成—
武田 猛、坪内 彰、
丸善、**2004**, pp. 234-253.
- 11) Modern Carbonyl Olefination; Chapter 4: Carbonyl Olefination Utilizing Metal Carbene Complexes
T. Takeda, A. Tsubouchi,
Wiley-VCH, **2004**, pp. 151-199.