

## 業績目録

### 1. 発表論文 (\*は責任著者、著者太字は Co-first を示す)

- (1) Katsuhiko Ito, Manabu Yoshikawa, Takeshi Fujii, Hiroko Tabunoki, Takeshi Yokoyama., 2016. Melanin pigmentation gives rise to black spots on the wings of the silkworm *Bombyx mori*. *Journal of Insect Physiology*.91-92:100-106.
- (2) Kohji Yamamoto, Akifumi Higashiura, Mamoru Suzuki, Takahiro Shiotsuki, Ryohei Sugahara, Takeshi Fujii, Atsushi Nakagawa., 2016. Structural characterization of an aldo-keto reductase (AKR2E5) from the silkworm *Bombyx mori*. *Biochemical and Biophysical Research Communications*.474:104-110.
- (3) Tran Thi Thu Phuong, Masanobu Yamamoto, Takeshi Fujii, Wataru Kojima, Takashi Matsuo, Yukio Ishikawa., 2016. Comparison of the ability to catabolize DIMBOA, a maize antibiotic, between *Ostrinia furnacalis* and *Ostrinia scapulalis* (Lepidoptera: Crambidae), with reference to their hybrids. *Appl. Entomol. Zool.*51(1): 143-149.
- (4) Bin Yang, Takeshi Fujii, Yukio Ishikawa, Takashi Matsuo., 2015. Targeted mutagenesis of an odorant receptor co-receptor using TALEN in *Ostrinia furnacalis*. *Insect Biochemistry and Molecular Biology*. 70: 53-59.
- (5) Takuma Iwamatsu, Daisuke Miyamoto, Hidefumi Mitsuno, Yoshiaki Yoshioka, Takeshi Fujii, Takeshi Sakurai, Yukio Ishikawa, Ryohei Kanzaki., 2015. Identification of repellent odorants to the body louse, *Pediculus humanus corporis*, in clove essential oil. *Parasitology Research*.115 (4): 1659-1666.
- (6) Takeshi Fujii\*, Masanobu Yamamoto, Ryo Nakano, Takuya Nirazawa, Yu Rong, Shang L Dong, Yukio Ishikawa ISHIKAWA, Y., 2015. Alkenyl sex pheromone analogs in the hemolymph of an arctiid *Eilema japonica* and several non-arctiid moths. *Journal of Insect Physiology*. 82: 109-113.
- (7) Takeshi Fujii\*, Yuji Yasukochi, Yu Rong, Takashi Matsuo, Yukio Ishikawa., 2015. Multiple Δ11-desaturase genes selectively used for sex pheromone biosynthesis are conserved in *Ostrinia* moth genomes. *Insect Biochemistry and Molecular Biology*. 61: 62-68.
- (8) Rong Yu, Takeshi Fujii\*, Susumu Katsuma, Masanobu Yamamoto, Tetsu Ando, Yukio Ishikawa., 2014. CYP341B14: a cytochrome P450 involved in the specific epoxidation of pheromone precursors in the fall webworm *Hyphantria cunea*. *Insect Biochemistry and Molecular Biology*. 54: 122–128.
- (9) Yuko Ishida, Wataru Tsuchiya, Takeshi Fujii, Zui Fujimoto, Mitsuhiro Miyazawa, Jun Ishibashi, Shigeru Matsuyama, Yukio Ishikawa, Toshimasa Yamazaki., 2013. Niemann–Pick type C2 protein mediating chemical communication in the worker ant. *Proceedings of the National Academy of Sciences of the USA*111(10):3847–3852.
- (10) Takeshi Fujii\*, Masataka G Suzuki, Susumu Katsuma, Katsuhiko Ito, Yu Rong, Shogo Matsumoto, Tetsu Ando, Yukio Ishikawa., 2013. Discovery of a disused desaturase gene from the pheromone gland of the moth *Ascotis selenaria*, which secretes an epoxyalkenyl sex pheromone. *Biochemical and Biophysical Research Communications*441:849-55.
- (11) Jean-Marc Lassance, Marjorie A Liénard, Binu Antony, Shuguang Qian, Takeshi Fujii, Jun Tabata, Yukio Ishikawa, Christer Löfstedt., 2013. Functional consequences of sequence variation in the pheromone biosynthetic gene pgFAR for *Ostrinia* moths. *Proceedings of the National Academy of Sciences of the USA*110(10):3967-72.
- (12) Shigehiro Namiki, Takeshi Fujii, Yukio Ishikawa, Ryohei Kanzaki., 2012. The brain organization of the lichen moth *Eilema japonica*, which secretes an alkenyl sex pheromone. *Neuroreport* 23(14):857-61.
- (13) Takaaki Daimon, Takeshi Fujii, Tsuguru Fujii, Takeshi Yokoyama, Susumu Katsuma, Tetsuro Shinoda, Toru Shimada, Yukio Ishikawa., 2012. Reinvestigation of the sex pheromone of the wild silkworm *Bombyx mandarina*: the effects of bombykal and bombykyl acetate. *Journal of Chemical Ecology* 38(8):1031-5.

- (14) Takaaki Daimon, Takeshi Fujii, Masaya Yago, Yu-Feng Hsu, Yumiko Nakajima, TsuguruFujii, Susumu Katsuma, Yukio Ishikawa, Toru Shimada., 2012. Female sex pheromone and male behavioral responses of the bombycid moth *Trilochevarians*: comparison with those of the domesticated silkmoth *Bombyxmori*. *Naturwissenschaften* 99(3):207-15.
- (15) TsuguruFujii, Takeshi Fujii, ShigehiroNamiki, Hiroaki Abe, Takeshi Sakurai, Akio Ohnuma, RyoheiKanzaki, Susumu Katsuma, Yukio Ishikawa, Toru Shimada., 2011. Sex-linked transcription factor involved in a shift of sex-pheromone preference in the silkmoth *Bombyxmori*. *Proceedings of the National Academy of Sciences of the USA* 108(44):18038-43.
- (16) EirikiSunamura, Sugihiko Hoshizaki, Hironori Sakamoto, Takeshi Fujii, Koji Nishisue, Shun Suzuki, Mamoru Terayama, Yukio Ishikawa, SadahiroTatsuki., 2011. Workers select mates for queens: a possible mechanism of gene flow restriction between supercolonies of the invasive Argentine ant. *Naturwissenschaften* 98(5):361-8.
- (17) Takeshi Fujii, Katsuhiko Ito, Mitsuko Tatematsu, Toru Shimada, Susumu Katsuma, Yukio Ishikawa., 2011. Sex pheromone desaturase functioning in a primitive *Ostrinia* moth is cryptically conserved in congeners' genomes. *Proceedings of the National Academy of Sciences of the USA* 108(17):7102-6.  
[Commentary for this article] Rooney, A. P., 2011. Pheromone emergencies and drifting moth genomes Proceeding of the national academy of science of the USA, 108 (20).pp8069-8070.
- (18) Jun Tabata, Yuuki Hattori, Hironori Sakamoto, Fumiko Yukuhiro, Takeshi Fujii, SoichiKugimiya, Atsushi Mochizuki, Yukio Ishikawa, Daisuke Kageyama., 2011: Male killing and incomplete inheritance of a novel spiroplasma in the moth *Ostriniazaguliaevi*. *Microbial Ecology* 61(2):254-63.
- (19) Takeshi Fujii\*, Ryo Nakano, Yoshiko Takubo, Shuguang Qian, Rei Yamakawa, Tetsu Ando, Yukio Ishikawa., 2010. Female sex pheromone of a lichen moth *Eilema japonica* (Arctiidae, Lithosiinae): components and control of production. *Journal of Insect Physiology* 56(12):1986-91.
- (20) Takafumi N Sugimoto, Takeshi Fujii, Takumi Kayukawa, Hironori Sakamoto, Yukio Ishikawa., 2010. Expression of a doublesex homologue is altered in sexual mosaics of *Ostriniascapulalis* moths infected with Wolbachia. *Insect Biochemistry and Molecular Biology* 40(12):847-54.
- (21) Shuguang Qian, Takeshi Fujii\*, Katsuhiko Ito, Ryo Nakano, Yukio Ishikawa., 2010. Cloning and functional characterization of a fatty acid transport protein (FATP) from the pheromone gland of a lichen moth, *Eilema japonica*, which secretes an alkenyl sex pheromone. *Insect Biochemistry and Molecular Biology* 41(1):22-8.
- (22) Wataru Kojima, Takeshi Fujii, MomokoSuwa, Mitsuo Miyazawa, Yukio Ishikawa., 2010. Physiological adaptation of the Asian corn borer *Ostriniafurnacalis* to chemical defenses of its host plant, maize. *Journal of Insect Physiology* 56(9):1349-55.
- (23) Takeshi Fujii\*, Katsuhiko Ito, Susumu Katsuma, Ryo Nakano, Toru Shimada, Yukio Ishikawa., 2010. Molecular and functional characterization of an acetyl-CoA acetyltransferase from the adzuki bean borer moth *Ostriniascapulalis* (Lepidoptera: Crambidae). *Insect Biochemistry and Molecular Biology* 40(1):74-8.
- (24) Ryo Nakano, TakumaTakanashi, Takeshi Fujii, Niels Skals, Anne Surlykke, Yukio Ishikawa., 2009. Moths are not silent, but whisper ultrasonic courtship songs. *Journal of Experimental Biology* 212(Pt 24):4072-8.
- (25) Binu Antony, Takeshi Fujii, Ken'ichi Moto, Shogo Matsumoto, Mai Fukuzawa, Ryo Nakano, SadahiroTatsuki, Yukio Ishikawa., 2008. Pheromone-gland-specific fatty-acyl reductase in the adzuki bean borer, *Ostriniascapulalis* (Lepidoptera: Crambidae). *Insect Biochemistry and Molecular Biology* 39(2):90-5.
- (26) Takeshi Kawai, Atsushi Ohnishi, Masataka G Suzuki, Takeshi Fujii, Kanae Matsuoka, Ikuo Kato, Shogo Matsumoto, Tetsu Ando., 2007. Identification of a unique pheromonotropic neuropeptide including double FXPRL motifs from a geometrid species, *Ascotis selenaria cretacea*, which produces an epoxyalkenyl sex pheromone. *Insect Biochemistry and Molecular Biology* 37(4):330-7.
- (27) Takeshi Fujii, Masataka G Suzuki, Takeshi Kawai, Kazuhide Tsuneizumi, Atsushi Ohnishi, Masaaki Kurihara, Shogo Matsumoto, Tetsu Ando., 2007. Determination of the pheromone-producing region that has epoxidation activity in the

abdominal tip of the Japanese giant looper, *Ascotis selenaria cretacea* (Lepidoptera: Geometridae). *Journal of Insect Physiology* 53(4):312-8.

- (28) Wei Wei, Masanobu Yamamoto, Tetsuhiro Asato, Takeshi Fujii, Guan-Qin Pu, Tetsu Ando., 2004. Selectivity and neuroendocrine regulation of the precursor uptake by pheromone glands from hemolymph in geometrid female moths, which secrete epoxyalkenyl sex pheromones. *Insect Biochemistry and Molecular Biology* 34(11):1215-24.

## 2. 総説、著書など

### 2.1. 総説

藤井毅、石川幸男「蚕糸・昆虫バイオテック特集号 2014」ガ類性フェロモン分子の多様性が生まれる仕組み－日本産アワノメイガ類を例に－ 蚕糸・昆虫バイオテック 83 (2) pp93-104

### 2.2. 著書

藤井毅「昆虫科学読本 -虫の目で見た驚きの世界-」 “第3章 香りで始まる虫の恋” (東海大学出版編, 2015), pp29-46

### 2.3. 解説記事

藤井毅、石川幸男 (2012年) 偶然か？必然か？ レトロポゾン挿入が関与したと思われるガ類種分化の例 むしむしコラム・おーどーこん －近くで不思議な虫の世界－ [http://column.odokon.org/2012/1214\\_120000.php](http://column.odokon.org/2012/1214_120000.php)