

NMR of Polymers

Determination of sequence distribution in 1,4-polybutadiene by carbon-13 NMR spectra.

Tanaka, Yasuyuki; Sato, Hisaya; Ogawa, Masanao; Hatada, Koichi; Terawaki, Yoshio.
Journal of Polymer Science, Polymer Letters Edition (1974), 12, 369-73.

Carbon-13-NMR of polyisoprenes. Sequence distribution of cis-1,4 and trans-1,4 units.

Tanaka, Yasuyuki; Sato, Hisaya; Seimiya, Takeshi.
Polymer Journal (Tokyo, Japan) (1975), 7, 264-6.

Distribution of isomeric structure of cis-trans equibinary poly(butadiene).

Hatada, Koichi; Terawaki, Yoshio; Okuda, Hiroshi; Tanaka, Yasuyuki; Sato, Hisaya.
Journal of Polymer Science, Polymer Letters Edition (1974), 12, 305-9.

Sequence distribution of 1,4 and 3,4 units in polyisoprenes.

Tanaka, Yasuyuki; Sato, Hisaya; Ogura, Atsuko; Nagoya, Ichiro.
Journal of Polymer Science, Polymer Chemistry Edition (1976), 14, 73-81.

Sequence distribution of cis-1,4- and trans-1,4-units in polyisoprenes.

Tanaka, Yasuyuki; Sato, Hisaya.
Polymer (1976), 17, 113-16.

Carbon-13-NMR spectrum of poly(3-methyl-1-butene).

Tanaka, Yasuyuki; Sato, Hisaya.
Journal of Polymer Science, Polymer Letters Edition (1976), 14, 335-8.

Sequence distribution of polyisoprenes.

Tanaka, Yasuyuki; Sato, Hisaya.
Polymer (1976), 17, 413-18.

Sequence distribution of 1,4-polybutadienes.

Tanaka, Yasuyuki; Sato, Hisaya; Hatada, Koichi; Terawaki, Yoshio; Okuda, Hiroshi.
Makromolekulare Chemie (1977), 178, 1823-32.

Distribution of isomeric structures in polyisoprenes.

Sato, Hisaya; Ono, Akihisha; Tanaka, Yasuyuki.
Polymer (1977), 18, 580-6.

¹H-NMR study of polyisoprenes.

Sato, Hisaya; Tanaka, Yasuyuki.
Journal of Polymer Science, Polymer Chemistry Edition (1979), 17, 3551-8.

Carbon-13 NMR analysis of polystyrene by means of model compounds.

Sato, Hisaya; Tanaka, Yasuyuki; Hatada, Koichi.
Makromolekulare Chemie, Rapid Communications (1982), 3, 181-5.

Carbon-13 NMR spectra of diastereomers of styrene pentamer.

Sato, Hisaya; Tanaka, Yasuyuki; Hatada, Koichi.

Makromolekulare Chemie, Rapid Communications (1982), 3, 175-9.

Carbon-13 NMR analysis of polystyrene from low-molecular weight model compounds.

Sato, Hisaya; Tanaka, Yasuyuki; Hatada, Koichi.

Journal of Polymer Science, Polymer Physics Edition (1983), 21, 1667-74.

NMR spectra of styrene oligomers and polymers.

Sato, Hisaya; Tanaka, Yasuyuki.

ACS Symposium Series (1984), 247(NMR Macromol.), 181-96.

Analysis of carbon-13 NMR of polybutadiene by means of low molecular weight model compounds.

Sato, Hisaya; Takebayashi, Kenji; Tanaka, Yasuyuki.

Macromolecules (1987), 20, 2418-23.

Carbon-13 NMR signal assignment of styrene-butadiene copolymer.

Sato, Hisaya; Ishikawa, Toraichi; Takebayashi, Kenji; Tanaka, Yasuyuki.

Macromolecules (1989), 22, 1748-53.

HPLC of Polymers

Determination of the chemical composition of styrene-butadiene copolymers by high performance liquid chromatography.

Sato, Hisaya; Takeuchi, Hikaru; Suzuki, Satoshi; Tanaka, Yasuyuki.

Makromolekulare Chemie, Rapid Communications (1984), 5, 719-22.

Analysis of chemical composition distribution of styrene-methyl methacrylate copolymer by high-performance liquid chromatography.

Sato, Hisaya; Takeuchi, Hikaru; Tanaka, Yasuyuki.

Macromolecules (1986), 19, 2613-17.

Determination of chemical composition distribution of styrene-methyl methacrylate copolymers by reversed-phase high-performance liquid chromatography.

Sato, Hisaya; Mitsutani, Kenji; Shimizu, Ikusuke; Tanaka, Yasuyuki.

Journal of Chromatography (1988), 447, 387-91.

Separation of stereoisomers of poly(methyl methacrylate) by high performance liquid chromatography.

Sato, Hisaya; Sasaki, Masato; Ogino, Kenji.

Polymer Journal (Tokyo, Japan) (1989), 21, 965-9.

Separation of polybutadiene depending on isomeric structures by high-performance liquid chromatography.

Sato, Hisaya; Sasaki, Masato; Ogino, Kenji.

Polymer Journal (Tokyo, Japan) (1991), 23, 23-7.

Separation of styrene-methacrylate copolymers by composition using normal and reversed-phase high-performance liquid chromatography.

Sato, Hisaya; Ogino, Kenji; Maruo, Susumu; Sasaki, Masato.

Journal of Polymer Science, Part B: Polymer Physics (1991), 29, 1073-80.

Separation of styrene-methacrylate copolymers by composition using normal and reversed-phase high performance liquid chromatography.

Ogino, Kenji; Maruo, Susumu; Sasaki, Masato; Sato, Hisaya.
Kobunshi Ronbunshu (1992), 49(4), 317-25.

Separation of styrene-butyl methacrylate copolymers by high performance liquid chromatography.

Ogino, Kenji; Maruo, Tooru; Sato, Hisaya.
Journal of Liquid Chromatography (1994), 17, 3025-41

Separation of copolymers by adsorption liquid chromatography.

Sato, Hisaya; Ogino, Kenji; Darwint, Tri; Kiyokawa, Iwao.
Macromolecular Symposia (1996), 110(10th Bratislava International Conference on Macromolecules: Chromatography of Polymers and Related Substances, 1995), 177-189.

Separation of styrene-methyl methacrylate-acrylonitrile terpolymers by composition using high performance liquid chromatography.

Shin, Hyunsuk; Ogino, Kenji; Sato, Hisaya; Kawai, Eiichi.
Nippon Gomu Kyokaishi (1999), 72, 725-730.

Separation of styrene-methyl methacrylate-acrylonitrile terpolymers by composition using high-performance liquid chromatography.

Kawai, Eiichi; Shin, Hyun-Suk; Ogino, Kenji; Sato, Hisaya.
International Journal of Polymer Analysis and Characterization (2001), 6, 493-507.

Composition distribution analysis of butyl acrylate-ethyl acrylate copolymers using HPLC.

Kawai, Eiichi; Lee, Hee Cheong; Takao, Yuusuke; Ogino, Kenji; Sato, Hisaya.
Nippon Gomu Kyokaishi (2002), 75, 465-468.

Chemical composition and its distribution of emulsion copolymers composed of styrene and ethyl acrylate as hydrophobic and hydrophilic co-monomers.

Kobayashi, Minoru; Ohuchi, Shiho; Sato, Hisaya.
Polymer Bulletin (Heidelberg, Germany) (2006), 57, 423-432.

Synthesis of Polymer Gel

Synthesis and characterization of stearyl methacrylate gel for reversed-phase liquid chromatography.

Tanaka, Yasuyuki; Sato, Hisaya; Miyazaki, Kazuyo; Yamada, Yoshiki.
Journal of Chromatography (1987), 407, 197-203.

Preparation and evaluation of hydrophilic polymer gels as HPLC (high performance liquid chromatography) column packing materials.

Ogino, Kenji; Sato, Hisaya.
Kobunshi Ronbunshu (1989), 46, 667-71.

Preparation and characterization of monodisperse oligo(ethylene glycol) dimethacrylate polymer beads for aqueous high-performance liquid chromatography.

Ogino, Kenji; Sato, Hisaya; Aihara, Yuichi; Suzuki, Hiroshi; Moriguchi, Soyao.
Journal of Chromatography, A (1995), 699, 67-72.

Synthesis of monodisperse macroreticular styrene-divinylbenzene gel particles by a single-step swelling and polymerization method.

Ogino, Kenji; Sato, Hisaya; Tsuchiya, Kaoru; Suzuki, Hiroshi; Moriguchi, Soyao.

Journal of Chromatography, A (1995), 699, 59-66

NMR analysis of interaction between styrene-divinylbenzene gel beads and small molecules.

Ogino, Kenji; Sato, Hisaya.

Journal of Polymer Science, Part B: Polymer Physics (1995), 33, 189-95.

NMR characterization of styrene-divinylbenzene gel beads in swollen state using chloroform as probe.

Ogino, Kenji; Sato, Hisaya.

Journal of Applied Polymer Science (1995), 58 1015-20.

Functional Polymer 1 NLO and PR

Second harmonic generation of poled 4-[N-methyl-N-(4-nitrophenyl)aminomethyl]styrene polymer film.

Hayashi, Akio; Goto, Yoshitaka; Nakayama, Masaharu; Kaluzynski, Krzysztof; Sato, Hisaya; Watanabe, Toshiyuki; Miyata, Seizo.

Chemistry of Materials (1991), 3, 6-8.

Second-order nonlinear optical properties of poled polymers of vinyl chromophore monomers: styrene, methacrylate, and vinyl benzoate derivatives having one-aromatic-ring push-pull chromophores.

Hayashi, Akio; Goto, Yoshitaka; Nakayama, Masaharu; Kaluzynski, Krzysztof; Sato, Hisaya; Kato, Kazuaki; Kondo, Katsuhito; Watanabe, Toshiyuki; Miyata, Seizo.

Chemistry of Materials (1992), 4, 555-62.

Novel photoactivatable nonlinear optical polymers: poly[(((4-azidophenyl)carboxy)ethyl methacrylate)].

Hayashi, Akio; Goto, Yoshitaka; Nakayama, Masaharu; Sato, Hisaya; Watanabe, Toshiyuki; Miyata, Seizo.

Macromolecules (1992), 25, 5094-8.

Synthesis of Polymers Having Tetraphenyldiaminobiphenyl Units for a Host Polymer of Photorefractive Composite.

Ogino, Kenji; Nomura, Tomohiro; Shichi, Takeshi; Park, Sang-Hun; Sato, Hisaya; Aoyama, Tetsuya; Wada, Tatsuo.

Chemistry of Materials (1997), 9, 2768-2775.

Bifunctional molecular glass for efficient photorefractive material.

Ogino, Kenji; Park, Sang-Hun; Sato, Hisaya.

Applied Physics Letters (1999), 74, 3936-3938.

Photorefractive composite based on the polymer containing tetraphenyldiaminobiphenyl units.

Ogino, Kenji; Nomura, Tomohiro; Park, Sang-Hun; Sato, Hisaya.

MCLC S&T, Section B: Nonlinear Optics (1999), 22, 209-212.

Synthesis and characterization of photorefractive polymer containing electron transport material.

Okamoto, Kazuo; Nomura, Tomohiro; Park, Sang-Hun; Ogino, Kenji; Sato, Hisaya.

Chemistry of Materials (1999), 11, 3279-3284.

Functional Polymer 2 CTM (charge transport materials)

Preparation and characterization of polysilanes with electron donating substituent.

Yi, Sang Ho; Maeda, Nobuhiro; Suzuki, Takahiko; Sato, Hisaya.
Polymer Journal (Tokyo, Japan) (1992), 24, 865-70.

Synthesis and characterization of soluble organosilicon polymers containing regularly repeated thiophene or terthiophene units.

Yi, Sang Ho; Nagase, Jun'ichi; Sato, Hisaya.
Synthetic Metals (1993), 58, 353-65.

Synthesis and electrochemical property of organosilicon polymers containing π -electron conjugating system.

Yi, Sang-Ho; Ohashi, Syunsuke; Ogino, Kenji; Sato, Hisaya; Nomori, Hiroyuki.
Synthetic Metals (1993), 61, 247-51.

Syntheses and electrical properties of organosilicon polymers containing thiophene and anthraquinone units.

Yi, Sang Ho; Ohashi, Syunsuke; Sato, Hisaya; Nomori, Hiroyuki.
Bulletin of the Chemical Society of Japan (1993), 66, 1244-7.

Synthesis and characterization of polymers having tetraphenyldiaminobiphenyl units.

Sato, Hisaya; Sugihara, Mitsunori; Hayashi, Takako; Ogino, Kenji; Ito, Yuichi.
Kobunshi Ronbunshu (1995), 52, 211-15.

Electron-transporting polymers having side-chain fluorene derivatives for use as N-type organic photoreceptors.

Sim, Jae-Ho; Ogino, Kenji; Sato, Hisaya; Pei, Yuanhu.
Journal of Imaging Science and Technology (1996), 40, 164-167.

Preparation and characterization of polymers with oxadiazole on the side chain.

Sato, Hisaya; Sakaki, Yuuichi; Ogino, Kenji; Ito, Yuuichi.
Polymers for Advanced Technologies (1997), 8, 454-458.

Synthesis of polymers for hole and electron transport materials in organic electroluminescent devices.

Son, Jhun Mo; Sakaki, Yuichi; Ogino, Kenji; Sato, Hisaya.
IEEE Transactions on Electron Devices (1997), 44, 1307-1314.

Condensation polymerization of triphenylamine derivatives with paraformaldehyde.

Son, Jhun-Mo; Ogino, Kenji; Yonezawa, Noriyuki; Sato, Hisaya.
Synthetic Metals (1998), 98, 71-77.

Oligomerization of aromatic tertiary amines.

Sato, Hisaya; Kanegae, Aiko; Yamaguchi, Ryoji; Ogino, Kenji; Kurjata, Jan.
Chemistry Letters (1999), 79-80.

Condensation polymerization of triphenylamine with carbonyl compounds.

Son, Jhun-Mo; Nakao, Mayumi; Ogino, Kenji; Sato, Hisaya.
Macromolecular Chemistry and Physics (1999), 200, 65-70.

Oxidative coupling polymerization of 4-methyltriphenylamine.

Ogino, Kenji; Kanegae, Aiko; Yamaguchi, Ryoji; Sato, Hisaya; Kurjata, Jan.
Macromolecular Rapid Communications (1999), 20, 103-106.

Synthesis and characterization of electron transporting polymers having thioxanthene derivatives.

Sato, Hisaya; Matsuda, Hisaaki; Okamoto, Kazuo; Ogino, Kenji; Pei, Yuanhu.
Synthetic Metals (1999), 105, 55-60.

Synthesis and characterization of crosslinkable hole transporting polymers.

Nakao, Mayumi; Ogino, Kenji; Sato, Hisaya; Ito, Yuuichi.
Kobunshi Ronbunshu (2000), 57, 1-7.

Synthesis and characterization of photorefractive polymers with triphenylamine unit and NLO chromophore unit on a side chain.

Park, Sang-Hun; Ogino, Kenji; Sato, Hisaya.
Polymers for Advanced Technologies (2000), 11, 349-358.

Synthesis of new hole transport polymers based on N,N'-diphenyl-N,N'-bis(4-methylphenyl)-1,4-phenylenediamine.

Wang, Xiaoqing; Chen, Zhijian; Ogino, Kenji; Sato, Hisaya; Miyata, Seizo; Tan, Huiming.
Polymer Journal (Tokyo) (2000), 32, 778-783.

Synthesis and characterization of new triarylamine-based polymers.

Wang, Xiaoqing; Nakao, Mayumi; Ogino, Kenji; Sato, Hisaya; Tan, Huiming.
Macromolecular Chemistry and Physics (2001), 202, 117-125.

Synthesis and characterization of new 4-tolyldiphenylamine derivatives for hole transporting polymers.

Strzelec, Krzysztof; Tsukamoto, Nami; Kook, Ha Jae; Sato, Hisaya.
Polymer International (2001), 50, 1228-1233.

Preparation of hole transporting polymers by condensation polymerization of triphenylamine derivatives.

Sato, Hisaya; Ogino, Kenji; Hirai, Hidenori.
Macromolecular Symposia (2001), 175(Polymerization Processes and Polymer Materials II), 159-168.

Semiconducting polymers from triphenylamine derivatives-benzaldehyde polymers by oxidation with 2,3-dichloro-5,6-dicyano-1,4-benzoquinone (DDQ).

Wangwijit, Tidarat; Sato, Hisaya; Tantayanon, Supawan.
Polymers for Advanced Technologies (2002), 13, 25-32.

Synthesis of charge transporting polymer containing TPD units using Friedel-Crafts reaction.

Mori, Takayoshi; Strzelec, Krzysztof; Sato, Hisaya.
Synthetic Metals (2002), 126, 165-171.

Preparation of new hole transport polymers via copolymerization of N,N'-diphenyl-N,N'-bis(4-alkylphenyl)benzidine (TPD) derivatives with 1,4-divinylbenzene.

Wang, Xiaoqing; Chen, Zhijian; Ogino, Kenji; Sato, Hisaya; Strzelec, Krzysztof; Miyata, Seizo; Luo, Yunjun; Tan, Huiming.
Macromolecular Chemistry and Physics (2002), 203, 739-747.

Preparation and characterization of poly(4-alkyltriphenylamine) by chemical oxidative polymerization.

Takahashi, Chihiro; Moriya, Shinta; Fugono, Nobutoshi; Lee, Hee Cheong; Sato, Hisaya.
Synthetic Metals (2002), 129, 123-128.

Oxidative coupling copolymerization of 4-methyltriphenylamine with arenes.

Strzelec, Krzysztof; Fugino, Nobutoshi; Ha, Jaekook; Ogino, Kenji; Sato, Hisaya.
Macromolecular Chemistry and Physics (2002), 203, 2488-2494.

Synthesis and characterization of hyperbranched polymer having hole transporting ability.

Ha, Jaekook; Lee, Hee Cheong; Lee, Sang-Ho; Kimura, Noriko; Sato, Hisaya.
Polymer Journal (Tokyo, Japan) (2004), 36, 219-225.

Synthesis and characterization of novel light-emitting copolymers containing triphenylamine derivatives.

Ha, Jaekook; Vacha, Martin; Khanchaitit, Paisan; Ath-Ong, Duangdao; Lee, Sang-Ho; Ogino, Kenji; Sato, Hisaya.
Synthetic Metals (2004), 144, 151-158.

Chemical Doping of Triphenylamine-benzaldehyde Polymers.

Tsukamoto, Nami; Ha, Jaekook; Sato, Hisaya; Strzelec, Krzysztof.
International Journal of Polymeric Materials (2004), 53, 799-807.

Synthesis and characterization of a novel electroluminescent polymer based on a phenoxazine derivative.

Ito, Yuichi; Shimada, Takahiro; Ha, Jaekook; Vacha, Martin; Sato, Hisaya.
Journal of Polymer Science, Part A: Polymer Chemistry (2006), 44, 4338-4345.

Preparation of polymers having hole and electron transport units by friedel-crafts reaction.

Washizu, Takashi; Pei, Yuanfu; Ha, Jaekook; Vacha, Martin; Tani, Kuniko; Ogino, Kenji; Sato, Hisaya.
Journal of Polymer Science, Part A: Polymer Chemistry (2007), 45, 3083-3089.

Synthesis and characterization of a novel electroluminescent polymer based on phenoxazine and fluorene derivatives.

Yuanfu, Pei; Otake, Masahisa; Vacha, Martin; Sato, Hisaya.
Reactive & Functional Polymers (2007), 67, 1211-1217.

Poly-p-Phenylene

Oxidation of poly(1,3-cyclohexadiene): Influence of the polymer chain structure.

Natori, Itaru; Sato, Hisaya.
Journal of Polymer Science, Part A: Polymer Chemistry (2005), 44, 837-845.

Synthesis of Soluble Polyphenylene Homopolymers as Polar Macromolecules: Complete Dehydrogenation of Poly(1,3-cyclohexadiene) with Controlled Polymer Chain Structure.

Natori, Itaru; Natori, Shizue; Sato, Hisaya.
Macromolecules (2006), 39, 3168-3174.

Dehydrogenation of poly(1,3-cyclohexadiene)-polystyrene binary block copolymers.

Natori, Itaru; Sato, Hisaya.
Journal of Polymer Science, Part A: Polymer Chemistry (2006), 44, 3526-3537.

Aggregation of poly(1,3-cyclohexadiene): effects of molecular weight and polymer chain structure.

Natori, Itaru; Sato, Hisaya.

Journal of Polymer Science, Part B: Polymer Physics (2006), 44, 1442-1452.

Reactivity of quinones for the dehydrogenation of poly(1,3-cyclohexadiene).

Natori, Itaru; Sato, Hisaya.

Polymer International (2007), 56, 810-815.

Others

Synthesis of a methacrylate-type monomer containing C60 unit and copolymerization with t-butyl methacrylate.

Matsuda, Daichi; Oohashi, Shyunsuke; Ogino, Kenji; Sato, Hisaya.

Kobunshi Ronbunshu (1997), 54, 344-350.

Synthesis and polymerization of methacrylate having fullerene.

Sato, Hisaya; Matsuda, Daichi; Ogino, Kenji.

Polymer Journal (Tokyo) (1998), 30, 904-909.

Photobleaching and single molecule detection of a phosphorescent organometallic iridium(III) complex.

Vacha, Martin; Koide, Yohei; Kotani, Masahiro; Sato, Hisaya.

Journal of Luminescence (2004), 107, 51-56.

Single molecule detection and photobleaching study of a phosphorescent dye: organometallic iridium(III) complex.

Vacha, Martin; Koide, Yohei; Kotani, Masahiro; Sato, Hisaya.

Chemical Physics Letters (2004), 388, 263-268.

Semiconducting nanocomposite from titanium dioxide and organic charge transporting compound.

Yokozumi, Tomomi; Kim, Seong Ho; Washino, Keiko; Lee, Hee Cheong; Ogino, Kenji; Usui, Hiroaki; Sato, Hisaya.

Synthetic Metals (2003), 139(1), 151-154.

Fabrication and characteristics of hole transporting materials-transition metal nanoparticle composites.

Yokozumi, Tomomi; Miyashita, Yoshiharu; Hayashi, Kaneyoshi; Ogino, Kenji; Usui, Hiroaki; Gonda, Mayumi; Sato, Hisaya.

Thin Solid Films (2004), 449, 173-179.

Electrical properties of composites of TiO₂-triphenylamine derivatives.

Hayashi, Kaneyoshi; Kurosaka, Youko; Osako, Youko; Ha, Jaekook; Vacha, Martin; Sato, Hisaya.

Thin Solid Films (2005), 474, 337-340.

Reinforcing effect and flame retardancy of aluminum hydrate-filled rubber.

Hayashi, Shigeyoshi; Habu, Takushi; Hayashi, Kaneyoshi; Wakamatsu, Kazunori; Sato, Hisaya.

Nippon Gomu Kyokaishi (2005), 78, 424-428.

Degradation of aliphatic polyesters by vacuum ultraviolet irradiation.

Li, Yabin; Hayashi, Akiko; Saito, Mizuho; Vacha, Martin; Murase, Shigemitsu; Sato, Hisaya.

Polymer Journal (Tokyo, Japan) (2006), 38, 395-399.